


$\$$ m and n each is independently an integer of from 0 to 4; p is 1 or 2; and pharmaceutically acceptable salts thereof.

72. (Amended) A method for treating a mammal suffering from a blood coagulation disorder, comprising administering to the mammal a therapeutically effective amount of a compound of the following Formula II:



II

wherein Ar is optionally substituted carbocyclic aryl or optionally substituted heteroaryl;

Het is optionally substituted N, O, S, S(O) or S(O₂);

each X, each Y, each X', each Y' and each Z are each independently hydrogen; halogen; hydroxyl; sulfhydryl; amino; optionally substituted alkyl; optionally substituted alkenyl; optionally substituted alkynyl; optionally substituted alkoxy; optionally substituted alkylthio; optionally substituted alkylsulfinyl; optionally substituted alkylsulfonyl; or optionally substituted alkylamino;

each R¹ is independently halogen; amino; hydroxy; nitro; carboxy; sulfhydryl; optionally substituted alkyl; optionally substituted alkenyl; optionally substituted alkynyl; optionally substituted alkoxy; optionally substituted alkylthio; optionally substituted alkylsulfinyl; optionally substituted alkylsulfonyl; optionally substituted alkylamino; optionally substituted alkanoyl; optionally substituted carbocyclic aryl; or optionally substituted aralkyl;

$\$$ m and n each is independently an integer of from 0 to 4; p is 1 or 2; q is an integer of from 0 to 5; and pharmaceutically acceptable salts thereof.